

SSQ 22



Reduced size and reliability: these are the strengths of the SSQ models. With the new Skid Steer, the hard manual work becomes just an old memory. Thanks to its small size, the SSQ can easily pass through doors, gates, horseshoes and narrow passages in general. The range of SSQ allows to satisfy the most varied needs of the customers by diversifying the product according to the needs to be met and the work to be done: agriculture, maintenance of the stables, gardening and greening, small construction and demolition work are some of the activities where the SSQ, thanks to the interchangeability of its many attachments, can operate with ease and in absolute simplicity.



CASTGROUP

CAST GROUP S.r.l. UNIPERSONALE
Via A. Meucci, 18
30035 Mirano VE Italia
tel. +39 041 5701827
fax +39 041 5726786



www.workyquad.it • info@cast-group.it

ENG

FLSSQ_3A_ENG_09/2020

WORKYQUAD
MINILOADERS

SSQ LOADER



SSQ LOADER

SSQ11 COUNTRY



Engine capacity
11,7 Hp



Lifting capacity
280 Kg



Hydraulic system
21,6 lt/min

SSQ11 COUNTRY

Engine: Honda GX390- Displacement 389 cc
Number of cylinders: 1
Start up: Electric
Revolutions per minute: 3600
Cooling: air cooled
Fuel: petrol Euro 95

Fuel tank capacity: 6,1 lt
Drive system: Hydrostatic 4WD wheel motors
Hydraulic tank capacity: 44 lt
Standard tyres: 18X8.50-10 Skid
Steering: Skid steering
Kerb weight: 630 Kg

SSQ11 PLUS



Engine capacity
11,7 Hp



Lifting capacity
280 Kg



Hydraulic system
21,6 lt/min

SSQ11 PLUS

Engine: Honda GX390- Displacement 389 cc
Number of cylinders: 1
Start up: Electric
Revolutions per minute: 3600
Cooling: air cooled
Fuel: petrol Euro 95

Fuel tank capacity: 6,1 lt
Drive system: Hydrostatic 4WD wheel motors
Hydraulic tank capacity: 44 lt
Standard tyres: 18X8.50-10 Skid
Steering: Skid steering
Kerb weight: 630 Kg

SSQ ECOQUAD-S



Engine capacity
5,7 Kw



Lifting capacity
450 Kg



Hydraulic system
20 lt/min

SSQ ECOQUAD-S LOADER

Engine: Permanent magnets
Revolutions per minute: 2500
Battery Type: traction battery
Voltage: 36V
Battery capacity: 240Ah

Drive system: Hydrostatic 4WD wheel motors
Hydraulic tank capacity: 16 lt
Standard tyres: 4.00-8 Forklift
Steering: Skid steering
Kerb weight: 850 Kg

SSQ15D*



Engine capacity
14,8 Hp



Lifting capacity
340 Kg



Hydraulic system
35 lt/min

SSQ15D LOADER

Engine: Kubota Z602 - Displacement 599 cc
Number of cylinders: 2
Start up: Electric
Revolutions per minute: 3200
Cooling: liquid cooled
Fuel: diesel

Fuel tank capacity: 25 lt
Drive system: Hydrostatic 4WD wheel motors
Hydraulic tank capacity: 25 lt
Standard tyres: 23x8.50-12 Skid
Steering: Skid steering
Kerb weight: 684 Kg

SSQ22



Engine capacity
22,1 Hp



Lifting capacity
350 Kg



Hydraulic system
35 lt/min

SSQ 22 LOADER

Engine: Honda HGX690 - Displacement 688 cc
Number of cylinders: 2
Start up: Electric
Revolutions per minute: 3600
Cooling: air cooled
Fuel: petrol Euro 95

Fuel tank capacity: 20 lt
Drive system: Hydrostatic 4WD wheel motors
Hydraulic tank capacity: 40 lt
Standard tyres: 22x11.00-8 All Trac
Steering: Skid steering
Kerb weight: 630 Kg

WORKYQUAD
TRUE PERFORMANCE
IN A SMALL SIZE.



Data contained in this document is subject to change without notice and/or notification. Cast Group reserves the right to modify its products without obligation to communications. The images in this document are the only a demonstrative purpose.

Data obtained with counterweights (SSQ ECO).
* Model available also with remote control.

